

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A ~~foamable~~ foamed oil-in-water type emulsion comprising the following (A) and (B):

(A) from 3 to 50% by weight of an oil phase comprising fat or oil containing from 1 to 69.9% by weight of triglycerides, from 0.1 to 9% by weight of monoglycerides and from 30 to 90% by weight of diglycerides, wherein 80% by weight or more of the fatty acids in the diglycerides are unsaturated fatty acids, wherein less than 40% by weight of the fatty acids in the fat or oil are saturated fatty acids, and wherein less than 10% by weight of the fatty acids in the fat or oil are trans acids; and

(B) from 50 to 97% by weight of a water phase, wherein the water phase comprises from ~~4~~ 5 to 80% by weight of sugars, sugar alcohols, and mixtures thereof  
the emulsion having a specific gravity of from 0.1 to 0.9 g/cm<sup>3</sup>.

Claim 2 (Currently Amended): The ~~foamable~~ foamed oil-in-water type emulsion according to Claim 1, the emulsion further comprising an emulsifier in an amount of from 0.1 to 5 parts by weight based on 100 parts by weight of the emulsion.

Claim 3 (Currently Amended): The ~~foamable~~ foamed oil-in-water type emulsion according to Claim 1 or 2, the emulsion further comprising a protein in an amount of from 0.1 to 10 parts by weight based on 100 parts by weight of the emulsion.

Claim 4 (Currently Amended): The ~~foamable~~ foamed oil-in-water type emulsion according to Claim 1 or 2, wherein the average volume particle diameter of the foamable oil-in-water type emulsion is from 0.9  $\mu\text{m}$  or less.

Claim 5 (Canceled).

Claim 6 (Currently Amended): A method of producing the ~~foamable~~ foamed oil-in-water type emulsion according to Claim 4 ~~or~~ 5, the method comprising performing a high-pressure emulsifying treatment under a pressure of from 9.8 to 490 MPa.

Claim 7 (New): The foamed oil-in-water type emulsion according to claim 1, wherein 90 to 100% of said unsaturated fatty acids have 10 to 24 carbon atoms.

Claim 8 (New): The foamed oil-in-water type emulsion according to claim 1, wherein fatty acids comprising said diglyceride comprises 20-65% of oleic acid.

Claim 9 (New): The foamed oil-in-water type emulsion according to claim 1, wherein fatty acids comprising said diglyceride comprises 15-65% of linoleic acid.

Claim 10 (New): The foamed oil-in-water type emulsion according to claim 1, wherein fatty acids comprising said diglyceride comprises less than 15% of linolenic acid.

Claim 11 (New): The foamed oil-in-water type emulsion according to claim 1, wherein said diglyceride comprises at least 50% of 1,3-diglycerides.

Claim 12 (New): The foamed oil-in-water type emulsion according to claim 1, wherein said oil phase comprises 5 to 40 % by weight of said composition.

Claim 13 (New): The foamed oil-in-water type emulsion according to claim 1, wherein said oil phase comprises 7 to 35 % by weight of said composition.

Claim 14 (New): The foamed oil-in-water type emulsion according to claim 1, wherein said sugars, sugar alcohol, and mixtures thereof is at least one selected from the group consisting of glucose, fructose, maltose, sucrose, lactose, sucralose, sorbitol, maltitol, erythritol, xylitol trehalose, reduced starch saccharides, isomerized sugars and starch syrups.

Claim 15 (new): The foamed oil-in-water type emulsion according to claim 1, wherein the emulsion has a specific gravity of from 0.3 to 0.7 g/cm<sup>3</sup>.

Claim 16 (new): The foamed oil-in-water type emulsion according to claim 1, wherein all the constituent fatty acids include 0.1 to 5 wt. % of trans acids.

Claim 17 (new): The foamed oil-in-water type emulsion according to claim 1, wherein the content of sugar and sugar alcohol is from 5 to 70 wt. %.

Claim 18 (new): The foamed oil-in-water type emulsion according to claim 1, wherein the content of sugar and sugar alcohol is from 10 to 50 wt. %.

Claim 19 (new): The foamed oil-in-water type emulsion according to claim 1, further comprising vegetable sterol.

Claim 20 (new): The foamed oil-in-water type emulsion according to claim 1, further comprising 0.05 to 4.7 parts by weight of vegetable sterol to 100 parts by weight of the fat or oil.

Claim 21 (new): The foamed oil-in-water type emulsion according to claim 1, further comprising an antioxidant.